

<h2 style="margin: 1.8px 0px 0px 16.4px;">Benzi din otel nedurificat pentru arcuri </h2> <table style="margin: 0px 0px 0px 1px; border: 0.5px dashed #bbbbbb; border-image: none; width: 936px; height: 497.05px; text-align: left; color: #3399cc; text-transform: none; text-indent: 0px; letter-spacing: normal; font-family: Arial,Helvetica,sans-serif; font-size: 11px; font-style: normal; font-variant: normal; font-weight: 400; text-decoration: none; word-spacing: 0px; white-space: normal; border-collapse: collapse; cursor: default; border-spacing: 1px 1px; orphans: 2; background-color: transparent;" border="0" cellspacing="0" cellpadding="0"> <tr style="border: 0px #bbbbbb; border-image: none; border-collapse: collapse; cursor: default; border-spacing: 1px 1px;"> <td width="134" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 164.97px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"></td> <td width="150" style="border-width: 0.5px 0px 0px; border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 183.89px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="169" style="border-width: 0.5px 0px 0px; border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 207.5px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="236" style="border-width: 0.5px 0px 0px; border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 289.89px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="65" style="border-width: 0.5px 0.5px 0px 0px; border-style: none; border-color: #000000; margin: 0px; padding: 0px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"> <p style="margin: 0px 0px 13.33px; padding: 0px;"> </p> </td> </tr> <tr style="border: 0px #bbbbbb; border-image: none; border-collapse: collapse; cursor: default; border-spacing: 1px 1px;"> <td width="134" style="border-width: 0px 0px 0px 0.5px; border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 164.97px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"></td> <td width="150" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 183.89px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="169" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 207.5px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="236" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 289.89px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="65" style="border-width: 0px 0.5px 0px 0px; border-style: none; border-color: #000000; margin: 0px; padding: 0px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px;">

```
border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color:
transparent;"> <p style="margin: 0px 0px 13.33px; padding: 0px;"> </p> </td> </tr> <tr
style="border: 0px #bbbbbb; border-image: none; border-collapse: collapse; cursor: default;
border-spacing: 1px 1px;"> <td width="134" style="border-width: 0px 0px 0px 0.5px;
border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 164.97px; color:
#000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse:
separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"></td> <td
width="150" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width:
183.89px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px;
border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color:
transparent;" colspan="2"></td> <td width="169" style="margin: 0px; padding: 1px; border: 0px
#000000; border-image: none; width: 207.5px; color: #000000; font-family:
Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text;
border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="236"
style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 289.89px;
color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse:
separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"
colspan="2"></td> <td width="65" style="border-width: 0px 0.5px 0px 0px; border-style: none;
border-color: #000000; margin: 0px; padding: 0px; color: #000000; font-family:
Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text;
border-spacing: 1px 1px; background-color: transparent;"> <p style="margin: 0px 0px 13.33px;
padding: 0px;"> </p> </td> </tr> <tr style="border: 0px #bbbbbb; border-image: none;
border-collapse: collapse; cursor: default; border-spacing: 1px 1px;"> <td width="134"
style="border-width: 0px 0px 0px 0.5px; border-style: none; border-color: #000000; margin: 0px;
padding: 1px; width: 164.97px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif;
font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px;
background-color: transparent;"></td> <td width="150" style="margin: 0px; padding: 1px;
border: 0px #000000; border-image: none; width: 183.89px; color: #000000; font-family:
Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text;
border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="169"
style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 207.5px;
color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse:
separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"
colspan="2"></td> <td width="236" style="margin: 0px; padding: 1px; border: 0px #000000;
border-image: none; width: 289.89px; color: #000000; font-family:
Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text;
border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="65"
style="border-width: 0px 0.5px 0px 0px; border-style: none; border-color: #000000; margin: 0px;
padding: 0px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px;
border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color:
transparent;"> <p style="margin: 0px 0px 13.33px; padding: 0px;"> </p> </td> </tr> <tr
style="border: 0px #bbbbbb; border-image: none; border-collapse: collapse; cursor: default;
border-spacing: 1px 1px;"> <td width="134" style="border-width: 0px 0px 0px 0.5px;
border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 164.97px; color:
#000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse:
separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"></td> <td
```

```
width="150" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width:
183.89px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px;
border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color:
transparent;" colspan="2"></td> <td width="169" style="margin: 0px; padding: 1px; border: 0px
#000000; border-image: none; width: 207.5px; color: #000000; font-family:
Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text;
border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="236"
style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 289.89px;
color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse:
separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"
colspan="2"></td> <td width="65" style="border-width: 0px 0.5px 0px 0px; border-style: none;
border-color: #000000; margin: 0px; padding: 0px; color: #000000; font-family:
Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text;
border-spacing: 1px 1px; background-color: transparent;"> <p style="margin: 0px 0px 13.33px;
padding: 0px;"> </p> </td> </tr> <tr style="border: 0px #bbbbbb; border-image: none;
border-collapse: collapse; cursor: default; border-spacing: 1px 1px;"> <td width="134"
style="border-width: 0px 0px 0px 0.5px; border-style: none; border-color: #000000; margin: 0px;
padding: 1px; width: 164.97px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif;
font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px;
background-color: transparent;"></td> <td width="150" style="margin: 0px; padding: 1px;
border: 0px #000000; border-image: none; width: 183.89px; color: #000000; font-family:
Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text;
border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="169"
style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 207.5px;
color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse:
separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"
colspan="2"></td> <td width="236" style="margin: 0px; padding: 1px; border: 0px #000000;
border-image: none; width: 289.89px; color: #000000; font-family:
Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text;
border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="65"
style="border-width: 0px 0.5px 0px 0px; border-style: none; border-color: #000000; margin: 0px;
padding: 0px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px;
border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color:
transparent;"> <p style="margin: 0px 0px 13.33px; padding: 0px;"> </p> </td> </tr> <tr
style="border: 0px #bbbbbb; border-image: none; border-collapse: collapse; cursor: default;
border-spacing: 1px 1px;"> <td width="134" style="border-width: 0px 0px 0px 0.5px;
border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 164.97px; color:
#000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse:
separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"></td> <td
width="150" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width:
183.89px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px;
border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color:
transparent;" colspan="2"></td> <td width="169" style="margin: 0px; padding: 1px; border: 0px
#000000; border-image: none; width: 207.5px; color: #000000; font-family:
Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text;
border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="236"
style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 289.89px;
color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse:
separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td>
```

style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 289.89px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="65" style="border-width: 0px 0.5px 0px 0px; border-style: none; border-color: #000000; margin: 0px; padding: 0px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"> <p style="margin: 0px 0px 13.33px; padding: 0px;"> </p> </td> </tr> <tr style="border: 0px #bbbbbb; border-image: none; border-collapse: collapse; cursor: default; border-spacing: 1px 1px;"> <td width="134" style="border-width: 0px 0px 0px 0.5px; border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 164.97px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"></td> <td width="150" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 183.89px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="169" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 207.5px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="236" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 289.89px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="65" style="border-width: 0px 0.5px 0px 0px; border-style: none; border-color: #000000; margin: 0px; padding: 0px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"> <p style="margin: 0px 0px 13.33px; padding: 0px;"> </p> </td> </tr> <tr style="border: 0px #bbbbbb; border-image: none; border-collapse: collapse; cursor: default; border-spacing: 1px 1px;"> <td width="134" style="border-width: 0px 0px 0px 0.5px; border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 164.97px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"> <p style="margin: 0px; padding: 0px; line-height: normal;"><b style="margin: 0px; padding: 0px;">Material *</p> </td> <td width="150" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 183.89px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;"><b style="margin: 0px; padding: 0px;">Calitate Material</p> </td> <td width="169" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 207.5px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;"><b style="margin: 0px; padding: 0px;">Standard Material</p></td></tr></table>

#212529;"></p> </td> <td width="236" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 289.89px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;"><b style="margin: 0px; padding: 0px;">Rezistentă la tractive (Rm) *</p> </td> <td width="65" style="border-width: 0px 0.5px 0px 0px; border-style: none; border-color: #000000; margin: 0px; padding: 0px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"> <p style="margin: 0px 0px 13.33px; padding: 0px;"> </p> </td> </tr> <tr style="border: 0px #bbbbbb; border-image: none; border-collapse: collapse; cursor: default; border-spacing: 1px 1px;"> <td width="134" style="border-width: 0px 0px 0px 0.5px; border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 164.97px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"></td> <td width="150" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 183.89px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="169" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 207.5px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="236" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 289.89px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="65" style="border-width: 0px 0.5px 0px 0px; border-style: none; border-color: #000000; margin: 0px; padding: 0px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"> <p style="margin: 0px 0px 13.33px; padding: 0px;"> </p> </td> </tr> <tr style="border: 0px #bbbbbb; border-image: none; border-collapse: collapse; cursor: default; border-spacing: 1px 1px;"> <td width="134" style="border-width: 0px 0px 0px 0.5px; border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 164.97px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"></td> <td width="150" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 183.89px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="169" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 207.5px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="236" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 289.89px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text;

border-spacing: 1px 1px; background-color: transparent;" colspan="2"></td> <td width="65" style="border-width: 0px 0.5px 0px 0px; border-style: none; border-color: #000000; margin: 0px; padding: 0px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"> <p style="margin: 0px 0px 13.33px; padding: 0px;"> </p> </td> </tr> <tr style="border: 0px #bbbbbb; border-image: none; border-collapse: collapse; cursor: default; border-spacing: 1px 1px;"> <td width="170" style="border-width: 0px 0px 0px 0.5px; border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 209.58px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;"> C55S (Ck55)</p> </td> <td width="150" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 183.86px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;">1.1204</p> </td> <td width="169" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 207.24px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;">EN 10132-4</p> </td> <td width="266" style="border-width: 0px 0.5px 0px 0px; border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 325.32px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;">max. 600 N/mm◆</p> </td> </tr> <tr style="border: 0px #bbbbbb; border-image: none; border-collapse: collapse; cursor: default; border-spacing: 1px 1px;"> <td width="170" style="border-width: 0px 0px 0px 0.5px; border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 209.58px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;"> C60S (Ck60)</p> </td> <td width="150" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 183.86px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;">1.1211</p> </td> <td width="169" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 207.24px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;">EN 10132-4</p> </td> <td width="266" style="border-width: 0px 0.5px 0px 0px; border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 325.32px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;">EN 10132-4</p> </td> </tr>

#000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;">max. 620 N/mm◆</p> </td> </tr> <tr style="border: 0px #bbbbbb; border-image: none; border-collapse: collapse; cursor: default; border-spacing: 1px 1px;"> <td width="170" style="border-width: 0px 0px 0px 0.5px; border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 209.58px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;"> C67S (Ck67)</p> </td> <td width="150" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 183.86px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;">1.1231</p> </td> <td width="169" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 207.24px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;">EN 10132-4</p> </td> <td width="266" style="border-width: 0px 0.5px 0px 0px; border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 325.32px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;">max. 640 N/mm◆</p> </td> </tr> <tr style="border: 0px #bbbbbb; border-image: none; border-collapse: collapse; cursor: default; border-spacing: 1px 1px;"> <td width="170" style="border-width: 0px 0px 0px 0.5px; border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 209.58px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;"> C75S (Ck75)</p> </td> <td width="150" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 183.86px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;">1.1248</p> </td> <td width="169" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 207.24px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;">EN 10132-4</p> </td> <td width="266" style="border-width: 0px 0.5px 0px 0px; border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 325.32px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2">

<p style="margin: 0px; padding: 0px; line-height: normal;">max. 640 N/mm◆</p> </td> </tr> <tr style="border: 0px #bbbbbb; border-image: none; border-collapse: collapse; cursor: default; border-spacing: 1px 1px;"> <td width="170" style="border-width: 0px 0px 0px 0.5px; border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 209.58px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;"> C85S (Ck85)</p> </td> <td width="150" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 183.86px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;">1.1269</p> </td> <td width="169" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 207.24px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;">EN 10132-4</p> </td> <td width="266" style="border-width: 0px 0.5px 0px 0px; border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 325.32px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;">max. 670 N/mm◆</p> </td> </tr> <tr style="border: 0px #bbbbbb; border-image: none; border-collapse: collapse; cursor: default; border-spacing: 1px 1px;"> <td width="170" style="border-width: 0px 0px 0px 0.5px; border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 209.58px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;"> C100S (Ck101)</p> </td> <td width="150" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 183.86px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;">1.1274</p> </td> <td width="169" style="margin: 0px; padding: 1px; border: 0px #000000; border-image: none; width: 207.24px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;">EN 10132-4</p> </td> <td width="266" style="border-width: 0px 0.5px 0px 0px; border-style: none; border-color: #000000; margin: 0px; padding: 1px; width: 325.32px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;" colspan="2"> <p style="margin: 0px; padding: 0px; line-height: normal;">max. 690 N/mm◆</p> </td> </tr> <tr height="0" style="border: 0px


```
#bbbbbb; border-image: none; border-collapse: collapse; cursor: default; border-spacing: 1px
1px;"> <td width="134" style="border-width: 0px 0px 0.5px 0.5px; border-style: none;
border-color: #000000; margin: 0px; color: #000000; font-family:
Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text;
border-spacing: 1px 1px; background-color: transparent;"></td> <td width="36"
style="border-width: 0px 0px 0.5px; border-style: none; border-color: #000000; margin: 0px;
color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse:
separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"></td> <td
width="114" style="border-width: 0px 0px 0.5px; border-style: none; border-color: #000000;
margin: 0px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px;
border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color:
transparent;"></td> <td width="36" style="border-width: 0px 0px 0.5px; border-style: none;
border-color: #000000; margin: 0px; color: #000000; font-family:
Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text;
border-spacing: 1px 1px; background-color: transparent;"></td> <td width="133"
style="border-width: 0px 0px 0.5px; border-style: none; border-color: #000000; margin: 0px;
color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse:
separate; cursor: text; border-spacing: 1px 1px; background-color: transparent;"></td> <td
width="36" style="border-width: 0px 0px 0.5px; border-style: none; border-color: #000000;
margin: 0px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px;
border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color:
transparent;"></td> <td width="201" style="border-width: 0px 0px 0.5px; border-style: none;
border-color: #000000; margin: 0px; color: #000000; font-family:
Verdana,Arial,Helvetica,sans-serif; font-size: 16px; border-collapse: separate; cursor: text;
border-spacing: 1px 1px; background-color: transparent;"></td> <td width="65"
style="border-width: 0px 0.5px 0.5px 0px; border-style: none; border-color: #000000; margin:
0px; color: #000000; font-family: Verdana,Arial,Helvetica,sans-serif; font-size: 16px;
border-collapse: separate; cursor: text; border-spacing: 1px 1px; background-color:
transparent;"></td> </tr> </table> <p style="margin: 0px 0px 13.33px; line-height: normal;
page-break-after: avoid;"><span style="margin: 0px; color: #222222; font-family:
'Cambria','serif'; font-size: 12pt;">Dimensiuni</span></p> <p> </p> <p style="margin: 0px;
line-height: normal; page-break-after: avoid;"><span style="margin: 0px; color: #222222;
font-family: 'Cambria','serif'; font-size: 14pt;">◆ Grosimea benzii de la 0,03 mm la 2,00
mm</span></p> <p> </p> <p style="margin: 0px; line-height: normal; page-break-after:
avoid;"><span style="margin: 0px; color: #222222; font-family: 'Cambria','serif'; font-size:
14pt;">◆ Latimea de band? de la 1,5 mm la max. 420 mm</span></p> <p> </p> <p
style="margin: 0px; line-height: normal; page-break-after: avoid;"><span style="margin: 0px;
color: #222222; font-family: 'Cambria','serif'; font-size: 14pt;">◆ Bare cu latimea de 600
mm</span></p> <p> </p> <p style="margin: 0px; line-height: normal; page-break-after:
avoid;"><span style="margin: 0px; color: #222222; font-family: 'Cambria','serif'; font-size:
12pt;"> </span></p> <p> </p> <p style="margin: 0px; line-height: normal; page-break-after:
avoid;"><span style="margin: 0px; color: #222222; font-family: 'Cambria','serif'; font-size:
12pt;">Forme de margine</span></p> <p> </p> <p style="margin: 0px; line-height: normal;
page-break-after: avoid;"><span style="margin: 0px; color: #222222; font-family:
'Cambria','serif'; font-size: 12pt;"> </span></p> <p> </p> <p style="margin: 0px; line-height:
normal; page-break-after: avoid;"><span style="margin: 0px; color: #222222; font-family:
```

'Cambria','serif'; font-size: 14pt;">◆ cu muchii taiate</p> <p> </p> <p style="margin: 0px; line-height: normal; page-break-after: avoid;">◆ cu muchii decupate</p> <p> </p> <p style="margin: 0px; line-height: normal; page-break-after: avoid;">◆ cu muchii rotunjite</p> <p> </p> <p style="margin: 0px; line-height: normal; page-break-after: avoid;">◆ cu margini taiate </p> <p> </p> <p style="margin: 0px 0px 13.33px; line-height: normal; page-break-after: avoid;"> </p> <p> </p> <p style="margin: 0px 0px 13.33px; line-height: normal;">Forme de livrare</p> <p> </p> <p style="margin: 0px; line-height: normal;">◆ ◆ bobin? cu un singur strat</p> <p> </p> <p style="margin: 0px; line-height: normal;">◆ ◆ benzi ◆dreptate ?i taiate</p> <p> </p> <p style="margin: 0px; line-height: normal;">◆ ◆ bobina cu mai multe stratraturi cu greutate de p◆? la 1.000 kg</p> <p> </p> <p style="margin: 0px; line-height: normal;"> </p> <p> </p> <p style="margin: 0px; line-height: normal;">* Alte materiale ?i rezistente la trac?iune sunt disponibile la cerere</p> <p> </p>